## NSN 5985-00-328-0616

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-328-0616

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
5.900 inches
Overall Height:
2.880 inches
Overall Width:
5.550 inches
Operating Tempurature Range:
-5.0/+40.0 degrees celsius
Voltage Standing Wave Ratio:
1.30
Coaxial Connector Series Designation:
N
Power Rating:
2.0 watts peak
Mounting Facility Screw Thread Series Designator:
Unf
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.8
Overall Attenuation Range In Decibels:
+0.0/+10.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
10
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
3 threaded hole
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 knob
Mounting Facility Screw Thread Diameter:
0.190 inches
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:

Terminal Type And Quantity

1 connector, coaxial, male and 1 connector, coaxial, female

## NSN 5985-00-328-0616

Variable Attenuator - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0