NSN 5985-00-339-8323

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-339-8323

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

3.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.840 inches

Overall Height:

1.720 inches

Overall Width:

0.500 inches

Unthreaded Mounting Hole Diameter:

0.090 inches

Coaxial Connector Series Designation:

Osm

Power Rating:

2.0 watts average

Overall Attenuation Range In Decibels:

+0.0/+30.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole

Frequency Range:

Between 500.000 megahertz and 12.000 gigahertz

Adjustment Device Type And Quantity:

1 knob

Mounting Facility Pattern:

Four position rectangular

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5985-00-339-8323

Variable Attenuator - Page 2 of 2

Fiig: A223a0

