

View Online at <https://aerobasegroup.com/nsn/5985-00-357-9877>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

5.190 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.800 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.800 inches

Overall Height:

3.000 inches

Overall Width:

5.000 inches

Scale Linearity:

Linear

Scale Division Quantity:

60

Operating Temperature Range:

-28.0/+80.0 degrees celsius

Voltage Standing Wave Ratio:

2.10

Coaxial Connector Series Designation:

Sma

Power Rating:

1.0 watts peak

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

6.0

Overall Attenuation Range In Decibels:

+20.0/+80.0

Attenuation Accuracy Reference Frequency:

1.0 gigahertz

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole

Frequency Range:

Between 1.005 gigahertz and 1.055 gigahertz

Overall Attenuation Accuracy In Decibels:

-10.00/+10.00

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 knob

Mounting Facility Pattern:

Four position rectangular

Mounting Facility Screw Thread Diameter:

0.164 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0