## NSN 5985-00-403-9715

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-403-9715 **Application Design:** Waveguide **Body Style:** Waveguide type **Overall Length:** Between 2.870 inches and 2.880 inches **Overall Height:** 1.875 inches **Overall Width:** 0.750 inches **Unthreaded Mounting Hole Diameter:** 0.116 inches **Voltage Standing Wave Ratio:** 1.15 **Power Rating:** 500.0 milliwatts average **Waveguide Flange Type:** Cover or choke **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.3 **Overall Attenuation Range In Decibels:** +0.0/+15.0 **Attenuation Variation Method:** Continuous **Mounting Facility Type And Quantity:** 4 terminal w/mounting holes Frequency Range: Between 32.900 gigahertz and 33.500 gigahertz **Adjustment Device Type And Quantity:** 1 knob **Mounting Facility Pattern:** Four position rectangular **Precious Material And Location:** Flanges surfaces silver **Precious Material:** Silver **Terminal Type And Quantity:** 2 flange Shelf Life: N/a

\_\_

**Unit Of Measure:** 

## NSN 5985-00-403-9715

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0