

View Online at <https://aerobasegroup.com/nsn/5985-00-404-8892>

Thread Class:

2b mounting facility hole

Overall Length:

2.125 inches

Frequency Rating:

0.0 gigahertz and 4.0 gigahertz single frequency operating

Overall Diameter:

2.500 inches

Switch Type:

Nontransfer

Voltage Standing Wave Ratio:

1.35 single

Insertion Loss In Decibels:

0.30 single

Rf Power Handling Capability:

100.0 watts peak single

Minimum Crosstalk Rating In Decibels:

50.0 single

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

1.2 dc

Actuator Voltage In Volts:

28.0

Switching Time:

100.0 milliseconds

Pole Quantity:

1

Throw Quantity:

6

Rf Maximum Voltage Rating:

1.5 kilovolts rms

Coupling Position Quantity:

7

Mounting Facility Circle Radius:

2.125 inches single mounting facility pattern

Mounting Facility Type And Quantity:

3 threaded hole

Thread Size:

0.138 inches mounting facility hole

Mounting Facility Pattern:

Six position circular single mounting facility pattern

Material:

Aluminum alloy body

Surface Treatment:

Anodize body outside surfaces

Thread Series Designator:

Unc mounting facility hole

Terminal Type And Quantity:

2 wire hook and 7 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A158a0