NSN 5985-00-407-2035

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-407-2035

Application Design:					
Transmission line					
Body Style:					
Cylindrical w/side terminals					
Overall Length:					
2.234 inches					
Overall Width:					
1.688 inches					
First Flat Length:					
0.344 inches					
Flat Height:					
0.218 inches					
Body Diameter:					
1.297 inches					
Shaft Diameter:					
0.249 inches					
Bushing Length:					
0.375 inches					
Shaft Length:					
0.937 inches					
Body Length:					
1.297 inches					
Operating Tempurature Range:					
-55.0/+120.0 degrees celsius					
Power Rating:					
2.0 watts peak					
Mounting Facility Screw Thread Series Designator:					
Unef					
Overall Attenuation Range In Decibels:					
+0.0/+40.0					
Attenuation Variation Method:					
Continuous					
Mounting Facility Type And Quantity:					
1 threaded bushing					
Overall Attenuation Accuracy In Decibels:					
-2.00/+2.00					
Mounting Thread Quantity:					
32 per inch					
Adjustment Device Type And Quantity:					
2 shaft					
Shaft Type:					
Round, flatted					

NSN 5985-00-407-2035

Variable Attenuator - Page 2 of 2



Mounting	Facility	Screw	Thread	Diameter:
----------	-----------------	-------	---------------	-----------

0.375 inches

Impedance Rating In Ohms:

150.0 input and 1230.0 output

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0