NSN 5985-00-412-1878

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-412-1878 **Application Design:** Waveguide **Body Material:** Metal **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Any acceptable **Overall Length:** 1.234 inches **Overall Diameter:** 0.380 inches **Operating Tempurature Range:** -40.0/+85.0 degrees celsius **Voltage Standing Wave Ratio:** 1.15 and 1.30 and 1.35 **Coaxial Connector Series Designation:** Npm **Power Rating:** 2.0 watts average and 0.2 kilowatts peak **Rf Signal Attenuation In Decibels:** 6.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.0 gigahertz and +4.0/+12.4 gigahertz and +12.4/+18.0 gigahertz **Attenuation Accuracy Reference Frequency:** 18.0 gigahertz **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Connection Type Per Function:** Female output and female input and male output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 5985-00-412-1878

Fixed Attenuator - Page 2 of 2



Fiig:

A20000