# NSN 5985-00-417-4357

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-417-4357

| Cross | Sectional | Shape: |
|-------|-----------|--------|
|       |           |        |

Internal, rectangular external, rectangular

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

Flange Quantity:

3

#### Flange Inside Width:

0.706 inches third flange

#### Flange Inside Height:

0.400 inches first flange

#### Flange Outside Width:

1.313 inches second flange

#### Flange Outside Height:

1.313 inches third flange

#### Flange Connecting Hole Diameter:

0.144 inches third flange all connection facilities

#### **Voltage Standing Wave Ratio:**

1.15

## **Waveguide Outside Width:**

0.702 inches

# Waveguide Inside Width:

0.622 inches

#### **Waveguide Inside Height:**

0.311 inches

#### **Waveguide Outside Height:**

0.391 inches

# **Waveguide Longer Offset Distance:**

1.510 inches

#### Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

### Waveguide Width:

1.313 inches

#### Flange Style:

Cover type third flange

#### Waveguide Length:

4.000 inches

#### **Waveguide Height:**

2.900 inches

#### **Special Features:**

Test data document: a84347-g128-309-001

#### Flexibility:

Rigid single tubing segment

# NSN 5985-00-417-4357

Waveguide Assembly - Page 2 of 2



| ΝЛ  | 2+ | er  | 10 |     |
|-----|----|-----|----|-----|
| IVI | aı | œI. | 10 | I - |

Copper alloy all tubing segment and flange

Style Designator:

Tee, shunt type

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0