

View Online at <https://aerobasegroup.com/nsn/5985-00-418-6438>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange all connection facilities

**Thread Direction:**

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

0.705 inches second flange

**Flange Inside Height:**

0.394 inches second flange

**Flange Outside Width:**

1.313 inches single flange

**Flange Outside Height:**

1.313 inches single flange

**Flange Outside Diameter:**

1.060 inches second flange

**Flange Depth:**

0.313 inches first flange

**Flange Connecting Hole Diameter:**

0.116 inches second flange all connection facilities

**Voltage Standing Wave Ratio:**

1.05

**Adapter Length:**

1.620 inches

**Thready Qty Per Inch (tpi):**

32 first flange all connection facilities

**Waveguide Outside Width:**

Between 0.699 inches and 0.705 inches

**Thread Size:**

0.138 inches first flange all connection facilities

**Waveguide Inside Width:**

Between 0.620 inches and 0.624 inches

**Waveguide Inside Height:**

Between 0.309 inches and 0.313 inches

**Waveguide Outside Height:**

Between 0.388 inches and 0.394 inches

**Flange Connecting Facility And Quantity:**

4 threaded hole first flange all connection facilities

**Flange Style:**

Cover type first flange

**Material:**

Copper alloy single tubing segment

**Style Designator:**

Waveguide to waveguide

**Supplementary Features:**

13.325 porm 0.055 ghz freq; 0.To 70 degrees c oper temp

**Thread Series Designator:**

Unc first flange all connection facilities

**Fsc Application Data:**

Antennas, waveguides, and related equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A073a0