NSN 5985-00-420-0428

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-420-0428
Application Design:
Transmission line
Body Material:
Steel, stainless
Body Style:
Round, terminal/terminals in opposite surface
Terminal Material:
Steel, stainless
Terminal Surface Treatment:
Gold plated
Body Surface Treatment:
Gold plated
Overall Length:
1.865 inches
Overall Diameter:
0.340 inches
Operating Tempurature Range:
-50.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.25
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Power Rating:
250.0 milliwatts average
Rf Signal Attenuation In Decibels:
50.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+4.5 gigahertz
Connection Type Per Function:
Female input and male output
Unpackaged Unit Weight:
10.0 grams

Mounting Method:

Terminal

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 4.500 gigahertz

Special Features:

External surfaces to be passivated or gold plated

NSN 5985-00-420-0428

Fixed Attenuator - Page 2 of 2



Precious Material And Location:
All external surfaces gold
Precious Material:
Gold
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A20000