NSN 5985-00-421-9856

Fixed Attenuator - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5985-00-421-9856

Application Design:
Transmission line
Body Material:
Steel, stainless
Body Style:
Round, terminal/terminals in opposite surface
Terminal Material:
Steel, stainless
Terminal Surface Treatment:
Passivated
Body Surface Treatment:
Gold plated
Overall Length:
1.200 inches
Overall Diameter:
0.375 inches
Operating Tempurature Range:
-54.0/+125.0 degrees celsius
End Application:
Countermeasures set an/alq-99
Voltage Standing Wave Ratio:
1.30
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Power Rating:
250.0 milliwatts average and 200.0 watts peak
Rf Signal Attenuation In Decibels:
10.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+4.3 gigahertz
Attenuation Accuracy In Decibels:
-4.00/+4.00
Unpackaged Unit Weight:
10.0 grams
Mounting Method:
Terminal
Frequency Range:
Between 0.000 hertz and 4.300 gigahertz
Precious Material And Location:
Outer body surfaces gold

NSN 5985-00-421-9856

Fixed Attenuator - Page 2 of 2

Precious Material:

Gold

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A20000

