NSN 5985-00-433-9009

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-433-9009 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Any acceptable **Overall Length:** Between 1.550 inches and 1.590 inches **Overall Diameter:** 0.360 inches **Voltage Standing Wave Ratio:** Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sm **Power Rating:** 2.0 watts average and 500.0 watts peak **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+12.4 gigahertz **Frequency Sensitivity Attenuation In Decibels:** 0.50 **Connection Type Per Function:** Female input and male output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 12.400 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5985-00-433-9009

Fixed Attenuator - Page 2 of 2



Fiig:

A20000