NSN 5985-00-442-3133

Waveguide Assembly - Page 1 of 1



442-3133

| View Online at https://aerobasegroup.com/nsn/5985-00- |
|---|
| Cross Sectional Shape: |
| Internal, rectangular external, rectangular |
| Tubing Wall Construction Style: |
| Seamless single tubing segment |
| Flange Quantity: |
| 2 |
| Flange Outside Width: |
| 1.625 inches second flange |
| Flange Outside Height: |
| 1.625 inches first flange |
| Flange Connecting Hole Diameter: |
| 0.156 inches second flange all connection facilities |
| Thready Qty Per Inch (tpi): |
| 32 first flange all connection facilities |
| Waveguide Inside Width: |
| 0.875 inches |
| Waveguide Inside Height: |
| 0.375 inches |
| Flange Connecting Facility And Quantity: |
| 4 unthreaded hole second flange all connection facilities |
| Flange Style: |
| Cover type second flange |
| Waveguide Center To Center Distance: |
| 3.250 inches |
| Waveguide Height: |
| 2.750 inches |
| Flexibility: |
| Rigid single tubing segment |
| Material: |
| Aluminum all tubing segment and flange |
| Surface Treatment: |
| Anodize all tubing segment and flange outside surfaces |
| Style Designator: |
| Double bend type |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

Yes - demil/mli

Fiig:

A073a0