# NSN 5985-00-443-3717

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-443-3717

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Thread Class:**

2b first flange second connection facility

### **Thread Direction:**

Right-hand first flange second connection facility

#### **Tubing Wall Construction Style:**

Seamless first tubing segment

## Flange Quantity:

2

#### Flange Outside Width:

1.530 inches first flange and 1.550 inches first flange

#### Flange Outside Height:

1.240 inches first flange and 1.260 inches first flange

#### Flange Connecting Hole Diameter:

0.118 inches second flange single connection facility and 0.123 inches second flange single connection facility

#### Voltage Standing Wave Ratio:

1.15

Insertion Loss In Decibels:

0.20

#### Waveguide Outside Width:

0.702 inches

Thread Size:

0.112 inches first flange first connection facility

## Waveguide Inside Width:

0.622 inches

#### Waveguide Inside Height:

0.311 inches

#### Waveguide Outside Height:

0.391 inches

# Flange Connecting Facility And Quantity:

4 unthreaded hole second flange single connection facility

## **Special Features:**

W/termination

## Flexibility:

Rigid first tubing segment

# Material:

Aluminum alloy first tubing segment

# Surface Treatment:

Paint first tubing segment outside surfaces and primer first tubing segment outside surfaces

# Supplementary Features:

M54 to p71 degrees c oper temp

# NSN 5985-00-443-3717

Waveguide Assembly - Page 2 of 2



## **Thread Series Designator:**

Unc first flange second connection facility

## **Fsc Application Data:**

Antennas, waveguides, and related equip.

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A073a0