## NSN 5985-00-443-3719

Waveguide Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-00-443-3719

view Offiline at https://acrobasegroup.com/histi/0300-00-440-07-19
Cross Sectional Shape:
Internal, rectangular external, rectangular
Tubing Wall Construction Style:
Seamless all tubing segment
Flange Quantity:
3
Voltage Standing Wave Ratio:
1.20
Insertion Loss In Decibels:
3.70
Waveguide Outside Width:
Between 0.699 inches and 0.705 inches
Waveguide Inside Width:
Between 0.6195 inches and 0.6245 inches
Waveguide Inside Height:
Between 0.3085 inches and 0.3135 inches
Waveguide Outside Height:
Between 0.388 inches and 0.394 inches
Special Features:
13.325 ghz porm 50 mhz; isolation 25 db min; operating temperature minus 54.0 to plus 71.0 degrees c
Material:
Aluminum alloy all flange
Surface Treatment:
Chromate all flange outside surfaces and primer all flange outside surfaces and paint all flange outside surfaces
Specification Data:
88818-g128-265 manufacturers source control
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0