## NSN 5985-00-444-6512

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-444-6512

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Thread Class:**

2b second flange all connection facilities

#### **Thread Direction:**

Right-hand second flange all connection facilities

#### **Tubing Wall Construction Style:**

Seamless all tubing segment

## Flange Quantity:

3

#### Flange Inside Width:

1.118 inches second flange and 1.126 inches second flange

## Flange Inside Height:

0.493 inches second flange and 0.501 inches second flange

## Flange Outside Width:

1.860 inches second flange and 1.890 inches second flange

## Flange Outside Height:

1.860 inches second flange and 1.890 inches second flange

## Flange Inside Diameter:

1.610 inches second flange and 1.640 inches second flange

## Flange Depth:

0.610 inches second flange and 0.640 inches second flange

## **Waveguide Outside Width:**

Between 1.000 inches and 1.250 inches

## Thread Size:

0.164 inches second flange all connection facilities

## Waveguide Inside Width:

Between 0.900 inches and 1.122 inches

#### **Waveguide Inside Height:**

Between 0.400 inches and 0.497 inches

## Waveguide Outside Height:

Between 0.500 inches and 0.625 inches

## Flange Connecting Facility And Quantity:

4 threaded hole second flange all connection facilities

## Flange Style:

Choke type first flange

## Flexibility:

Rigid all tubing segment

## Material:

Aluminum alloy all tubing segment and flange

#### **Surface Treatment:**

Chromate all tubing segment and flange all surfaces

# NSN 5985-00-444-6512

Waveguide Assembly - Page 2 of 2



## **Thread Series Designator:**

Unc second flange all connection facilities

## **Fsc Application Data:**

Antennas, waveguides, and related equipment

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

Yes - demil/mli

Fiig:

A073a0