# NSN 5985-00-449-8520

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-449-8520

#### **Thread Class:**

2b second flange single connection facility

**Thread Direction:** 

Right-hand second flange single connection facility

**Tubing Twist Type:** 

Twistable single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.003 inches second flange

Flange Inside Height:

0.505 inches second flange

Flange Outside Width:

1.625 inches second flange

Flange Outside Height:

1.625 inches first flange

Flange Inside Diameter:

1.220 inches second flange

Flange Depth:

0.438 inches first flange

## Flange Connecting Hole Diameter:

0.169 inches first flange single connection facility

**Voltage Standing Wave Ratio:** 

1.12

### **Maximum Operating Pressure:**

60.0 pounds per square inch gage

Thread Size:

0.138 inches second flange single connection facility

#### Flange Connecting Facility And Quantity:

4 unthreaded hole first flange single connection facility

Flange Style:

Cover type first flange

Waveguide Length:

9.000 inches

Flexibility:

Flexible single tubing segment

Material:

Aluminum all flange

**Surface Treatment:** 

Any acceptable all flange outside surfaces

Style Designator:

Straight type

# NSN 5985-00-449-8520

Waveguide Assembly - Page 2 of 2



	T	hr	ead	<b>Series</b>	Design	nator
--	---	----	-----	---------------	--------	-------

Unc second flange single connection facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0