

View Online at <https://aerobasegroup.com/nsn/5985-00-458-9269>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

6.376 inches

Overall Height:

2.750 inches

Overall Width:

4.094 inches

Unthreaded Mounting Hole Diameter:

0.172 inches

Distance Between Mounting Facility Centers:

3.453 inches

Voltage Standing Wave Ratio:

1.20 and 1.40

Coaxial Connector Series Designation:

Bnc

Power Rating:

1.0 watts average

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.2

Overall Attenuation Range In Decibels:

+0.0/+99.0

Attenuation Variation Method:

Stepped

Step Position Quantity:

18

Attenuation Per Step In Decibels:

1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 1.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0 and 10.0

Mounting Facility Type And Quantity:

2 unthreaded hole

Frequency Range:

Between 0.000 gigahertz and 1.000 gigahertz

Overall Attenuation Accuracy In Decibels:

-1.50/+1.50

Adjustment Device Type And Quantity:

2 knob

Mounting Facility Pattern:

Two position in-line

Impedance Rating In Ohms:

50.0 input-output

Test Data Document:

19200-10554948 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 connector, coaxial, male

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0