## NSN 5985-00-461-3736

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-461-3736

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

**Thread Direction:** 

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.620 inches first flange and 0.624 inches first flange

Flange Inside Height:

0.309 inches first flange and 0.313 inches first flange

Flange Outside Width:

1.297 inches first flange and 1.327 inches first flange

Flange Outside Height:

1.297 inches first flange and 1.327 inches first flange

Flange Inside Diameter:

0.985 inches first flange and 1.015 inches first flange

Flange Depth:

0.360 inches first flange and 0.390 inches first flange

**Voltage Standing Wave Ratio:** 

1.20

**Insertion Loss In Decibels:** 

0.50

Thready Qty Per Inch (tpi):

32 first flange all connection facilities

**Waveguide Outside Width:** 

Between 0.699 inches and 0.705 inches

**Thread Size:** 

0.138 inches first flange all connection facilities

Waveguide Inside Width:

Between 0.6195 inches and 0.6245 inches

**Waveguide Inside Height:** 

Between 0.3085 inches and 0.3135 inches

**Waveguide Outside Height:** 

Between 0.388 inches and 0.394 inches

Flange Connecting Facility And Quantity:

4 threaded hole first flange all connection facilities

Flange Style:

Choke type first flange

## **NSN 5985-00-461-3736** Waveguide Assembly - Page 2 of 2



Waveguide Center To Center Distance:
5.760 inches
Waveguide Height:
1.000 inches
Special Features:
Coupling for second flange provided
Flexibility:
Rigid all tubing segment
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Chromate all tubing segment and flange outside surfaces and primer all tubing segment and flange outside surfaces and enamel all tubing
segment and flange outside surfaces
Style Designator:
Double bend type
Thread Series Designator:
Unc first flange all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A073a0