# NSN 5985-00-463-9590

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-463-9590

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### Thread Class:

2b first flange all connection facilities

### **Thread Direction:**

Right-hand first flange all connection facilities

#### Bend Angle In Deg:

90.0 single bend e-plane

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

### Flange Quantity:

2

#### Flange Inside Width:

0.705 inches second flange and 0.707 inches second flange

#### Flange Inside Height:

0.394 inches second flange and 0.396 inches second flange

#### Flange Outside Width:

1.298 inches second flange and 1.328 inches second flange

#### Flange Outside Height:

1.298 inches second flange and 1.328 inches second flange

Flange Inside Diameter:

0.985 inches first flange and 1.015 inches first flange

#### Flange Depth:

0.360 inches first flange and 0.390 inches first flange

#### Flange Connecting Hole Diameter:

0.144 inches second flange all connection facilities and 0.147 inches second flange all connection facilities

#### Thready Qty Per Inch (tpi):

32 first flange all connection facilities

#### Waveguide Outside Width:

Between 0.699 inches and 0.705 inches

#### Thread Size:

0.138 inches first flange all connection facilities

# Waveguide Inside Width:

Between 0.6195 inches and 0.6245 inches

# Waveguide Inside Height:

Between 0.3085 inches and 0.3135 inches

# Waveguide Outside Height:

Between 0.388 inches and 0.394 inches

# Waveguide Longer Offset Distance:

4.780 inches

# Flange Connecting Facility And Quantity:

4 unthreaded hole second flange all connection facilities

# NSN 5985-00-463-9590

Waveguide Assembly - Page 2 of 2



Flange Style: Cover type second flange Waveguide Offset Distance: 4.780 inches Flexibility: Rigid single tubing segment Material: Copper alloy all tubing segment and flange Surface Treatment: Any acceptable all flange outside surfaces Style Designator: Bend type **Thread Series Designator:** Unc first flange all connection facilities **Fsc Application Data:** Antennas, waveguides, and related equipment Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** Yes - demil/mli Fiig: A073a0