## NSN 5985-00-472-5190

Fixed Attenuator - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5985-00-472-5190



## **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated, qq-p-35 **Overall Length:** 1.200 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -54.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.30 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Power Rating:** 250.0 milliwatts average and 200.0 watts peak **Rf Signal Attenuation In Decibels:** 9.0 Voltage Standing Wave Ratio Frequency Range: +0.0/+4.3 gigahertz **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Mounting Method:**

Connector

## **Terminal Type And Quantity:**

2 connector

## **Frequency Range:**

Between 0.000 hertz and 4.300 gigahertz

Shelf Life:

N/a

Unit Of Measure:

--

**Demilitarization:** 

Yes - demil/mli

Fiig:

A20000