

View Online at <https://aerobasegroup.com/nsn/5985-00-480-1712>

Application Design:

Transmission line

Body Material:

Metal

Body Style:

Round, terminal/terminals in opposite surface

Body Surface Treatment:

Any acceptable

Overall Length:

Between 2.210 inches and 2.250 inches

Overall Diameter:

0.570 inches

Operating Temperature Range:

-55.0/+120.0 degrees celsius

Voltage Standing Wave Ratio:

1.35

Input Impedance Rating In Ohms:

50.0

Output Impedance Rating In Ohms:

50.0

Coaxial Connector Series Designation:

Bnc

Power Rating:

2.0 watts average and 3.0 kilowatts peak

Rf Signal Attenuation In Decibels:

40.0

Voltage Standing Wave Ratio Frequency Range:

+0.0/+5.0 gigahertz

Attenuation Accuracy Reference Frequency:

5.0 gigahertz

Attenuation Accuracy In Decibels:

-1.50/+1.50

Frequency Sensitivity Attenuation In Decibels:

1.50

Connection Type Per Function:

Male input and female output

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 5.000 gigahertz

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A20000