

View Online at <https://aerobasegroup.com/nsn/5985-00-481-1170>

**Application Design:**

Transmission line

**Body Style:**

Coaxial type

**Overall Length:**

3.000 inches

**Overall Height:**

2.594 inches

**Overall Width:**

1.875 inches

**Distance Between Mounting Facility Centers:**

1.125 inches

**Voltage Standing Wave Ratio:**

1.10

**Coaxial Connector Series Designation:**

Bnc

**Power Rating:**

1.0 watts average

**Mounting Facility Screw Thread Series Designator:**

Unc

**Insertion Loss At Minimum Attenuation In Maximum Decibels:**

0.6

**Overall Attenuation Range In Decibels:**

+0.0/+1.0

**Attenuation Variation Method:**

Stepped

**Step Position Quantity:**

10

**Attenuation Per Step In Decibels:**

0.1

**Mounting Facility Type And Quantity:**

2 threaded hole

**Frequency Range:**

Between 0.000 hertz and 500.000 megahertz

**Overall Attenuation Accuracy In Decibels:**

-0.03/+0.03

**Mounting Thread Quantity:**

32 per inch

**Adjustment Device Type And Quantity:**

1 knob w/dial

**Mounting Facility Pattern:**

Two position in-line

**Mounting Facility Screw Thread Diameter:**

0.164 inches

**Impedance Rating In Ohms:**

50.0 input-output

**Terminal Type And Quantity:**

2 connector, coaxial, female

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A223a0