## NSN 5985-00-483-5861



Variable Attenuator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5985-00-483-5861 **Application Design:** Transmission line **Body Style:** Irregular **Overall Length:** 5.000 inches **Center To Center Distance Between Mounting Facilities Parallel To Length:** 4.531 inches **Overall Height:** 3.130 inches **Overall Width:** 4.450 inches **Unthreaded Mounting Hole Diameter:** 0.156 inches

**Coaxial Connector Series Designation:** 

**Power Rating:** 

2.0 watts average

**Overall Attenuation Range In Decibels:** 

+0.0/+63.0

**Attenuation Variation Method:** 

Stepped

**Step Position Quantity:** 

**Attenuation Per Step In Decibels:** 

1.0

**Mounting Facility Type And Quantity:** 

4 unthreaded hole

Frequency Range:

Between 1.000 gigahertz and 1.120 gigahertz

**Adjustment Device Type And Quantity:** 

1 knob w/dial

**Mounting Facility Pattern:** 

Four position rectangular

Impedance Rating In Ohms:

50.0 input-output

**Terminal Type And Quantity:** 

2 connector, coaxial, female

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5985-00-483-5861

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0