

View Online at <https://aerobasegroup.com/nsn/5985-00-487-1746>

Body Style:

Rectangular

Overall Length:

2.760 inches

Overall Width:

0.500 inches

Frequency Rating:

4.0 gigahertz and 8.0 gigahertz single frequency rf power handling

Unthreaded Mounting Hole Diameter:

0.160 inches

Switch Type:

Nontransfer

Distance Between Mounting Facility Centers:

2.380 inches single mounting facility pattern

Operating Temperature Range:

-55.0/+71.0 degrees celsius

Insertion Loss In Decibels:

2.00 single

Coaxial Connector Series Designation:

Sma

Connector End Design:

Female

Rf Power Handling Capability:

2.0 watts average single

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Relay

Switch Operation Sequence:

Makes before breaks

Switching Time:

0.020 microseconds

Pole Quantity:

1

Throw Quantity:

1

Coupling Position Quantity:

2

Mounting Facility Type And Quantity:

2 unthreaded hole

Mounting Facility Pattern:

Two position in-line single mounting facility pattern

Special Features:

Switch is a single pole single throw solid state switch driver assembly

Surface Treatment:

Enamel body outside surfaces

Terminal Type And Quantity:

3 solder stud and 3 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A158a0