NSN 5985-00-488-3492

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-488-3492

Application Design:

Transmission line

Body Style:

Cylindrical w/side terminals

Overall Length:

4.500 inches

Overall Width:

2.125 inches

Body Diameter:

1.500 inches

Shaft Diameter:

0.125 inches

Bushing Length:

0.937 inches

Shaft Length:

0.563 inches

Body Length:

.

3.000 inches

Operating Tempurature Range:

-20.0/+125.0 degrees celsius

Voltage Standing Wave Ratio:

1.10 and 1.20

Coaxial Connector Series Designation:

Bnc

Power Rating:

0.5 milliwatts average

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.2

Overall Attenuation Range In Decibels:

+0.0/+60.0

Attenuation Accuracy Reference Frequency:

30.0 megahertz

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 500.000 megahertz

Adjustment Device Type And Quantity:

1 shaft

Shaft Type:

Round

NSN 5985-00-488-3492

Variable Attenuator - Page 2 of 2



Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A223a0