NSN 5985-00-489-2029

Radio Frequency Transmission Line Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-489-2029 **Body Style:** Rectangular **Overall Length:** 2.970 inches **Overall Height:** 2.670 inches **Overall Width:** 1.090 inches Frequency Rating: 0.0 megahertz and 400.0 megahertz single frequency voltage standing wave ratio **Unthreaded Mounting Hole Diameter:** 0.203 inches Switch Type: Nontransfer **Distance Between Mounting Facility Centers:** 0.885 inches single mounting facility pattern **Voltage Standing Wave Ratio:** 1.20 single **Insertion Loss In Decibels:** 0.20 single **Coaxial Connector Series Designation:** Ν **Connector End Design:** Female Rf Power Handling Capability: 8.0 watts peak single Minimum Crosstalk Rating In Decibels: 50.0 single **Actuator Operating Method:** Relay **Actuator Voltage In Volts: Switch Operation Sequence:** Makes before breaks **Switching Time:** 30.0 milliseconds Switch Return Mechanism Type: Fail-safe **Pole Quantity:**

Throw Quantity:

NSN 5985-00-489-2029

Radio Frequency Transmission Line Switch - Page 2 of 2



Rf Maximum Voltage Rating:
450.0 volts rms
Coupling Position Quantity:
3
Mounting Facility Type And Quantity:
2 unthreaded hole
Mounting Facility Pattern:
Two position in-line single mounting facility pattern
Material:
Metal body
Surface Treatment:
Enamel body outside surfaces
Terminal Type And Quantity:
2 tab, solder lug and 3 receptacle, coaxial
Shelf Life:
N/a
Unit Of Measure:
. -
Demilitarization:
No
Fiig:
A158a0