## NSN 5985-00-497-8437

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-497-8437

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b all flanges all connection facilities

**Thread Direction:** 

Right-hand all flanges all connection facilities

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.872 inches all flanges

Flange Inside Height:

0.872 inches all flanges

Flange Outside Diameter:

3.625 inches all flanges

Flange Depth:

0.938 inches all flanges

**Voltage Standing Wave Ratio:** 

1.10

**Insertion Loss In Decibels:** 

0.05

Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

**Maximum Operating Pressure:** 

10.0 pounds per square inch gage

**Waveguide Outside Width:** 

2.000 inches

Thread Size:

0.190 inches all flanges all connection facilities

Waveguide Inside Width:

1.872 inches

**Waveguide Inside Height:** 

0.872 inches

**Waveguide Outside Height:** 

1.000 inches

**Waveguide Longer Offset Distance:** 

4.875 inches

Flange Connecting Facility And Quantity:

8 threaded hole all flanges all connection facilities

Flange Style:

Choke type all flanges

## NSN 5985-00-497-8437

Waveguide Assembly - Page 2 of 2



Waveguide Offset Distance:
4.500 inches
Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy 1100 single tubing segment
Style Designator:
Bend type
Thread Series Designator:
Unf all flanges all connection facilities
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A073a0