## NSN 5985-00-502-8712

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-502-8712

Application Design:
Audio
Body Material:
Aluminum alloy
Body Style:
Cylindrical w/rear terminals
Overall Length:
1.688 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.625 inches
Body Length:
1.063 inches
Overall Diameter:
1.062 inches
Unthreaded Mounting Hole Diameter:
0.078 inches
Schematic Diagram Designator:
"t"
<b>Distance Between Mounting Facility Centers:</b>
0.875 inches
Operating Tempurature Range:
-35.0/+85.0 degrees celsius
Power Rating:
4.0 watts average
Overall Attenuation Range In Decibels:
+0.2/+40.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole
Frequency Range:
Between 0.000 hertz and 20.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-3.98/+3.98
Adjustment Device Type And Quantity:
1 shaft
Mounting Facility Pattern:
Two position in-line
Shaft Type:

Round

## NSN 5985-00-502-8712

Variable Attenuator - Page 2 of 2



Impedance Ra	ating In	Ohms:
--------------	----------	-------

6000.0 input-output

**Terminal Type And Quantity:** 

3 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0