## NSN 5985-00-508-9949

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-508-9949

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
3.152 inches
Overall Height:
4.500 inches
Overall Width:
4.500 inches
Scale Linearity:
Linear
Scale Division Quantity:
60
Unthreaded Mounting Hole Diameter:
0.154 inches
Operating Tempurature Range:
+0.0/+40.0 degrees celsius
Voltage Standing Wave Ratio:
1.50
Power Rating:
5.0 watts average and 500.0 watts peak
Insertion Loss At Minimum Attenuation In Maximum Decibels:
6.0
Overall Attenuation Range In Decibels:
+0.0/+60.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole
Frequency Range:
Between 0.000 hertz and 4.000 gigahertz
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5985-00-508-9949

Variable Attenuator - Page 2 of 2



Fiig:

A223a0