## NSN 5985-00-512-2692

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-512-2692

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

**Thread Direction:** 

Right-hand first flange all connection facilities

**End Application:** 

Radar set, an/fps-6

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

3.002 inches second flange

Flange Inside Height:

1.502 inches second flange

Flange Outside Diameter:

5.313 inches second flange

Flange Depth:

1.250 inches first flange

Flange Connecting Hole Diameter:

0.257 inches second flange all connection facilities

**Waveguide Outside Width:** 

3.000 inches

**Thread Size:** 

0.250 inches first flange all connection facilities

Waveguide Inside Width:

2.840 inches

**Waveguide Inside Height:** 

1.340 inches

**Waveguide Outside Height:** 

1.500 inches

**Waveguide Longer Offset Distance:** 

2.255 feet

Flange Connecting Facility And Quantity:

8 unthreaded hole second flange all connection facilities

Flange Style:

Cover type second flange

**Waveguide Offset Distance:** 

4.578 inches

Flexibility:

Flexible single tubing segment

## **NSN 5985-00-512-2692** Waveguide Assembly - Page 2 of 2



Material:
Copper alloy all flange
Precious Material And Location:
Flange surface silver
Precious Material:
Silver
Surface Treatment:
Silver all flange inside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc first flange all connection facilities
Fsc Application Data:
Radar equipment, except airborne
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0