

View Online at <https://aerobasegroup.com/nsn/5985-00-517-7220>

**Application Design:**

Transmission line

**Body Material:**

Steel, qq-s-763, class 302, 303, 304, 305, 310, or 316

**Body Style:**

Round, terminal/terminals in opposite surface

**Body Surface Treatment:**

Gold plated

**Overall Length:**

2.750 inches

**Overall Diameter:**

0.830 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.20

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Coaxial Connector Series Designation:**

N

**Power Rating:**

2.0 watts average and 300.0 watts peak

**Rf Signal Attenuation In Decibels:**

20.0

**Voltage Standing Wave Ratio Frequency Range:**

+0.0/+3.0 gigahertz

**Attenuation Accuracy In Decibels:**

-0.30/+0.30

**Connection Type Per Function:**

Female output and male input

**Mounting Method:**

Connector

**Terminal Type And Quantity:**

2 connector

**Frequency Range:**

Between 0.000 hertz and 3.000 gigahertz

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A20000