NSN 5985-00-518-9560

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-518-9560

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
1.719 inches
Overall Width:
1.969 inches
Body Diameter:
1.750 inches
Shaft Diameter:
0.125 inches
Bushing Length:
0.250 inches
Shaft Length:
0.750 inches
Body Length:
0.969 inches
Schematic Diagram Designator:
Unbalanced ladder
Power Rating:
500.0 milliwatts average
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+60.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
6
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 kilohertz and 10.000 kilohertz
Overall Attenuation Accuracy In Decibels:
Overall Attenuation Accuracy In Decibels: -1.50/+1.50
•
-1.50/+1.50

1 shaft

NSN 5985-00-518-9560

Variable Attenuator - Page 2 of 2



Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.250 inches
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0