NSN 5985-00-537-4080

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-537-4080

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
3.062 inches
Overall Width:
3.093 inches
Body Diameter:
2.750 inches
Scale Linearity:
Linear
Shaft Diameter:
Between 0.245 inches and 0.255 inches
Shaft Length:
Between 0.933 inches and 0.943 inches
Body Length:
2.125 inches
Distance Between Mounting Facility Centers:
Between 2.339 inches and 2.349 inches
Power Rating:
600.0 milliwatts average
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+50.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
50
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 kilohertz and 15.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-1.00/+1.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:

1 shaft

NSN 5985-00-537-4080

Variable Attenuator - Page 2 of 2



Mounting Facility Pattern:
Two position in-line
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.164 inches
Impedance Rating In Ohms:
600.0 input-output
Special Features:
Stainless silver alloy; brass case
Precious Material And Location:
Contact studs and wipers silver
Precious Material:
Silver
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A223a0