## NSN 5985-00-539-2521

Variable Attenuator - Page 1 of 2

**Application Design:** 



View Online at https://aerobasegroup.com/nsn/5985-00-539-2521

Waveguide
Body Material:
Brass
Body Style:
Waveguide type
Overall Length:
3.000 inches
Overall Height:
1.813 inches
Overall Width:
1.500 inches
Voltage Standing Wave Ratio:
20.00
Coaxial Connector Series Designation:
Bn
Power Rating:
500.0 milliwatts average
Mounting Facility Screw Thread Series Designator:
Unc
Waveguide Flange Type:
Choke
Waveguide Flange Designation:
Ug-53/u
Overall Attenuation Range In Decibels:
+1.0/+60.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
4 threaded stud
Frequency Range:
Between 960.000 megahertz and 1.220 gigahertz
Mounting Thread Quantity:
40 per inch
Adjustment Device Type And Quantity:
1 lever
Mounting Facility Screw Thread Diameter:
0.112 inches
0.112 inches  Special Features:

2 binding post

## NSN 5985-00-539-2521

Variable Attenuator - Page 2 of 2



_				-		
C	h	Δ	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0