NSN 5985-00-552-0630

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-552-0630

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Straight twist single tubing segment

Tubing Twist Angle In Deg:

90.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.258 inches first flange

Flange Inside Height:

0.634 inches first flange

Flange Outside Width:

1.875 inches second flange

Flange Outside Height:

1.875 inches second flange

Flange Outside Diameter:

2.790 inches first flange

Flange Depth:

0.906 inches first flange

Flange Connecting Hole Diameter:

0.189 inches second flange single connection facility

Waveguide Outside Width:

1.250 inches

Waveguide Inside Width:

1.122 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.625 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange single connection facility

Flange Style:

Cover type second flange

Waveguide Leg Length:

3.906 inches

Waveguide Longer Leg Length:

8.760 inches

Waveguide Center To Center Distance:

5.307 inches

NSN 5985-00-552-0630

Waveguide Assembly - Page 2 of 2



Wavegu	ide H	eight:
--------	-------	--------

11.198 inches

Flexibility:

Rigid single tubing segment

Material:

Aluminum alloy all flange

Surface Treatment:

Enamel all flange outside surfaces

Style Designator:

U-bend type

Fsc Application Data:

Landing control, central

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0