

View Online at <https://aerobasegroup.com/nsn/5985-00-557-5721>

**Body Style:**

Irregular

**Overall Length:**

4.200 inches

**Overall Height:**

2.380 inches

**Overall Width:**

0.865 inches

**Frequency Rating:**

0.0 megahertz and 11.0 megahertz single frequency operating  
0.0 megahertz and 11.0 megahertz single frequency voltage standing wave ratio  
0.0 megahertz and 11.0 megahertz single frequency insertion loss reference  
0.0 megahertz and 11.0 megahertz single frequency crosstalk reference

**Unthreaded Mounting Hole Diameter:**

0.140 inches

**Switch Type:**

Nontransfer

**Operating Temperature Range:**

-65.0/+185.0 degrees fahrenheit

**Voltage Standing Wave Ratio:**

1.45 single

**Insertion Loss In Decibels:**

0.45 single

**Coaxial Connector Series Designation:**

N

**Connector End Design:**

Female

**Rf Power Handling Capability:**

500.0 watts average single

**Minimum Crosstalk Rating In Decibels:**

20.0 single

**Actuator Operating Method:**

Relay

**Actuator Current Type And Rating In Amps:**

0.23 dc

**Actuator Voltage In Volts:**

28.0

**Switch Operation Sequence:**

Makes before breaks

**Switch Return Mechanism Type:**

Fail-safe

**Pole Quantity:**

1

**Throw Quantity:**

2

**Rf Maximum Voltage Rating:**

700.0 volts peak

**Coupling Position Quantity:**

3

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Mounting Facility Pattern:**

Two position in-line single mounting facility pattern

**Material:**

Steel body

**Precious Material And Location:**

Contact surfaces silver

**Precious Material:**

Silver

**Terminal Type And Quantity:**

4 screw and 3 receptacle, coaxial

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A158a0