## NSN 5985-00-562-9768

Electrical Dummy Load - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-562-9768

Ambient Tempurature In Deg Celsius At Full Rated Power:
-40.0 and 62.0
Overall Length:
1.190 inches
Impedance Rating In Ohms:
50.0
Overall Diameter:
0.500 inches
Frequency Range Rating:
+2.000/+4.000 gigahertz
Fragility Factor:
Moderately rugged
Voltage Standing Wave Ratio:
1.10
Coaxial Connector Series Designation:
Osm
Connector End Design:
Male
Power Rating:
1.000 watts average
Voltage Standing Wave Ratio Frequency Range:
+2.000/+4.000 gigahertz
Termination Type:
Connection coaxial
Operating Position:
All positions
Rf Connector Changing Feature:
Not included
Cooling Method:
Self-cooled
Special Features:
Dummy load housing brass; connector housing stainless steel; center contact beryllium copper; housing nickel plated; housing and center
contact gold plated
Precious Material And Location:
External surfaces gold
Precious Material:
Gold
Style Designator:
Coaxial mounted
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:

N/a

## NSN 5985-00-562-9768

Electrical Dummy Load - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A19800