NSN 5985-00-571-8912

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-571-8912

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b all flanges single connection facility

Thread Direction:

Right-hand all flanges single connection facility

Flange Quantity:

2

Flange Inside Width:

0.279 inches all flanges and 0.281 inches all flanges

Flange Inside Height:

0.139 inches all flanges and 0.141 inches all flanges

Flange Outside Width:

0.735 inches all flanges and 0.765 inches all flanges

Flange Outside Height:

0.735 inches all flanges and 0.765 inches all flanges

Flange Inside Diameter:

0.370 inches all flanges and 0.374 inches all flanges

Flange Depth:

0.205 inches all flanges and 0.215 inches all flanges

Voltage Standing Wave Ratio:

1.10

Insertion Loss In Decibels:

0.04

Maximum Operating Pressure:

10.0 pounds per square inch gage

Thread Size:

0.112 inches all flanges single connection facility

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Choke type all flanges

Waveguide Length:

Between 2.875 inches and 3.125 inches

Flexibility:

Rigid single tubing segment

Material:

Rubber synthetic single tubing jacket

Surface Treatment:

Silver single tubing segment all surfaces and oxide film single tubing segment all surfaces

Style Designator:

Straight type

NSN 5985-00-571-8912

Waveguide Assembly - Page 2 of 2



Thread Series Designator:

Unf all flanges single connection facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0