

View Online at <https://aerobasegroup.com/nsn/5985-00-574-6082>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Direction:**

Right-hand first flange all connection facilities

**Bend Angle In Deg:**

90.0 single bend h-plane

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

0.896 inches first flange and 0.904 inches first flange

**Flange Inside Height:**

0.396 inches first flange and 0.404 inches first flange

**Flange Outside Width:**

1.610 inches first flange and 1.640 inches first flange

**Flange Outside Height:**

1.610 inches first flange and 1.640 inches first flange

**Flange Inside Diameter:**

1.407 inches first flange and 1.437 inches first flange

**Flange Depth:**

0.423 inches first flange and 0.453 inches first flange

**Maximum Operating Pressure:**

45.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

**Waveguide Inside Width:**

Between 0.896 inches and 0.904 inches

**Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

**Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

**Waveguide Longer Offset Distance:**

Between 1.252 inches and 1.272 inches

**Flange Connecting Facility And Quantity:**

4 threaded hole first flange all connection facilities

**Flange Style:**

Choke type first flange

**Waveguide Offset Distance:**

Between 0.990 inches and 1.010 inches

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum single tubing segment

**Surface Treatment:**

Chromate all tubing segment and flange outside surfaces and paint all tubing segment and flange outside surfaces

**Style Designator:**

Bend type

**Thread Series Designator:**

Unc first flange all connection facilities

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A073a0