NSN 5985-00-575-4338

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-575-4338 **Application Design:** Waveguide **Body Style:** Waveguide type **Overall Length:** 2.500 inches **Overall Height:** 2.156 inches **Overall Width:** 1.312 inches **Unthreaded Mounting Hole Diameter:** Between 0.144 inches and 0.147 inches **Operating Tempurature Range:** -55.0/+55.0 degrees celsius **Voltage Standing Wave Ratio:** 1.20 **Power Rating:** 500.0 milliwatts average **Waveguide Flange Type:** Choke **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.5 **Overall Attenuation Range In Decibels:** +0.0/+20.0 **Attenuation Variation Method:** Continuous **Mounting Facility Type And Quantity:** 4 unthreaded hole Frequency Range: Between 12.400 gigahertz and 18.000 gigahertz **Adjustment Device Type And Quantity: Mounting Facility Pattern:** Four position rectangular **Terminal Type And Quantity:** 2 flange Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5985-00-575-4338

Variable Attenuator - Page 2 of 2



Fiig:

A223a0