## NSN 5985-00-577-9659

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-577-9659

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
1.750 inches
Overall Width:
2.219 inches
Body Diameter:
1.719 inches
Shaft Diameter:
0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
0.875 inches
Body Length:
0.875 inches
Schematic Diagram Designator:
Unbalanced ladder
Power Rating:
2.0 watts peak
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+40.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
20
Attenuation Per Step In Decibels:
2.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 kilohertz and 20.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-1.00/+1.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:

1 shaft

## NSN 5985-00-577-9659

Variable Attenuator - Page 2 of 2



Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.138 inches
Impedance Rating In Ohms:
600.0 input-output
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0