NSN 5985-00-606-5808

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-606-5808

Application Design:
Audio
Body Style:
Cylindrical w/rear terminals
Overall Length:
2.938 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.500 inches
Body Length:
1.612 inches
Overall Diameter:
2.718 inches
Schematic Diagram Designator:
С
Distance Between Mounting Facility Centers:
1.500 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Power Rating:
5.0 watts peak
Mounting Facility Screw Thread Series Designator:
Unc
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.2
Overall Attenuation Range In Decibels:
+0.0/+40.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
20
Attenuation Per Step In Decibels:
2.0
Mounting Facility Type And Quantity:
2 threaded hole
Overall Attenuation Accuracy In Decibels:
-2.00/+2.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:

1 shaft

NSN 5985-00-606-5808 Variable Attenuator - Page 2 of 2



Mounting Facility Pattern:
Two position in-line
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.138 inches
Impedance Rating In Ohms:
600.0 input-output
Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0