

View Online at <https://aerobasegroup.com/nsn/5985-00-614-7603>

Application Design:

Waveguide

Body Style:

Waveguide type

Overall Length:

6.000 inches

Bolt Circle Diameter:

2.656 inches

Overall Height:

3.000 inches

Overall Width:

5.000 inches

Operating Temperature Range:

+0.0/+65.0 degrees celsius

Voltage Standing Wave Ratio:

1.15

Power Rating:

1.0 watts average

Mounting Facility Screw Thread Series Designator:

Unc

Waveguide Flange Type:

Choke

Waveguide Flange Designation:

Ug-40/u

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+40.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

6 threaded hole

Frequency Range:

Between 10.200 gigahertz and 10.600 gigahertz

Overall Attenuation Accuracy In Decibels:

-0.20/+0.20

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 knob

Mounting Facility Pattern:

Six position circular

Mounting Facility Screw Thread Diameter:

0.138 inches

Terminal Type And Quantity:

2 flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0