NSN 5985-00-615-5204

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-615-5204

~	^		O1	
L.ross	Sect	าดทลเ	Shape:	

Internal, rectangular external, rectangular

Thread Class:

2b all flanges single connection facility

Thread Direction:

Right-hand all flanges single connection facility

Bend Angle In Deg:

90.0 first bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.622 inches all flanges

Flange Inside Height:

0.311 inches all flanges

Flange Outside Width:

1.312 inches all flanges

Flange Outside Height:

1.312 inches all flanges

Flange Inside Diameter:

1.000 inches all flanges

Flange Depth:

0.375 inches all flanges

Voltage Standing Wave Ratio:

1.05

Waveguide Outside Width:

0.702 inches

Thread Size:

0.164 inches all flanges single connection facility

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Choke type all flanges

Waveguide Length:

1.062 feet

NSN 5985-00-615-5204

Waveguide Assembly - Page 2 of 2

Fiig: A073a0



Waveguide Center To Center Distance: 3.280 inches **Special Features:** Incl one 2.600 in. Diameter flange cover plate located 1.060 in. Backfrom mating surface of short end Flexibility: Rigid all tubing segment Material: Copper alloy all flange **Surface Treatment:** Silver all flange inside surfaces **Style Designator:** Offset bend type **Thread Series Designator:** Unc all flanges single connection facility **Fsc Application Data:** Radar equipment, except airborne Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli