# NSN 5985-00-632-1273

Waveguide Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-632-1273

# **Cross Sectional Shape:**

Internal, rectangular external, rectangular

# **Tubing Wall Construction Style:**

Seamless single tubing segment

#### Flange Quantity:

1

#### Flange Inside Width:

0.896 inches single flange and 0.904 inches single flange

#### Flange Inside Height:

0.396 inches single flange and 0.404 inches single flange

# Flange Outside Width:

1.610 inches single flange and 1.640 inches single flange

#### Flange Outside Height:

1.610 inches single flange and 1.640 inches single flange

#### Flange Inside Diameter:

1.406 inches single flange and 1.437 inches single flange

#### Flange Depth:

0.423 inches single flange and 0.453 inches single flange

# Flange Connecting Hole Diameter:

0.169 inches single flange all connection facilities

# **Voltage Standing Wave Ratio:**

1.25

#### **Connector End Design:**

Female

# Adapter Length:

1.270 inches

# **Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

#### **Waveguide Inside Width:**

Between 0.896 inches and 0.904 inches

# **Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

# **Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

# Flange Connecting Facility And Quantity:

4 unthreaded hole single flange all connection facilities

# Flange Style:

Choke type single flange

# Adapterheight:

Between 1.623 inches and 1.627 inches

#### Adapterwidth:

Between 1.623 inches and 1.627 inches

# NSN 5985-00-632-1273

Waveguide Adapter - Page 2 of 2



Special Features:
Frequency range 8.5 ghz to 9.6 ghz
Material:
Aluminum alloy single tubing segment and flange
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Surface Treatment:
Paint single tubing segment and flange outside surfaces
Style Designator:
Waveguide to coaxial
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0