## NSN 5985-00-644-9008

Variable Attenuator - Page 1 of 2

**Application Design:** 

Cylindrical w/side terminals

Audio

**Body Style:** 

Overall Length: 3.531 inches



View Online at https://aerobasegroup.com/nsn/5985-00-644-9008

Overall Width:
2.032 inches
Body Diameter:
1.625 inches
Shaft Diameter:
0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
2.406 inches
Body Length:
1.125 inches
Schematic Diagram Designator:
Balanced "h"
Mounting Facility Screw Thread Series Designator:
Unef
Overall Attenuation Range In Decibels:
+0.0/+36.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 kilohertz and 20.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-1.80/+1.80
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.375 inches
Impedance Rating In Ohms:
500.0 input

## NSN 5985-00-644-9008

Variable Attenuator - Page 2 of 2



Terminal Type	And	Quantity:
---------------	-----	-----------

4 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0