NSN 5985-00-666-0715

Variable Attenuator - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5985-00-666-0715

١	/iew Online at https://aerobasegroup.com/nsn/5985-00-666-0715
ŀ	Application Design:
A	Audio
E	Body Style:
(Cylindrical w/side terminals
C	Overall Length:
3	3.000 inches
C	Overall Width:
1	.969 inches
E	Body Diameter:
1	.750 inches
S	Shaft Diameter:
С	0.250 inches
S	Shaft Length:
C).938 inches
E	Body Length:
2	2.062 inches
S	Schematic Diagram Designator:
ι	Jnbalanced ladder
0	Distance Between Mounting Facility Centers:
1	.375 inches
N	Nounting Facility Screw Thread Series Designator:
ι	Jnc
C	Overall Attenuation Range In Decibels:
+	-0.0/+40.0
ŀ	Attenuation Variation Method:
S	Stepped
S	Step Position Quantity:
2	20
ŀ	Attenuation Per Step In Decibels:
2	2.0
N	Nounting Facility Type And Quantity:
2	2 threaded hole
F	Frequency Range:
E	Between 0.000 kilohertz and 20.000 kilohertz
C	Overall Attenuation Accuracy In Decibels:
-	2.00/+2.00
N	Nounting Thread Quantity:
	32 per inch
	Adjustment Device Type And Quantity:
	shaft
N	Nounting Facility Pattern:
	wo position in-line
	,

NSN 5985-00-666-0715

Variable Attenuator - Page 2 of 2

AeroBase Group

Shaft Type:

Round

Mounting Facility Screw Thread Diameter:

0.138 inches

Impedance Rating In Ohms:

500.0 input-output

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A223a0