NSN 5985-00-666-1364

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-666-1364

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
3.813 inches
Overall Width:
3.125 inches
Body Diameter:
2.750 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.938 inches
Body Length:
2.875 inches
Schematic Diagram Designator:
Balanced ladder
Distance Between Mounting Facility Centers:
1.500 inches
Power Rating:
5.0 watts average
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+45.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
45
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 kilohertz and 10.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-10.125/+10.125
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:

1 shaft

NSN 5985-00-666-1364

Variable Attenuator - Page 2 of 2



Mounting Facility Pattern:
Two position in-line
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.164 inches
Impedance Rating In Ohms:
600.0 input-output
Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0