## NSN 5985-00-671-2998

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-671-2998

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange single connection facility

**Thread Direction:** 

Right-hand first flange single connection facility

Bend Angle In Deg:

90.0 single bend e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.872 inches second flange

Flange Inside Height:

0.872 inches second flange

Flange Outside Diameter:

3.625 inches second flange

Flange Depth:

0.719 inches first flange

## Flange Connecting Hole Diameter:

0.218 inches second flange single connection facility

**Waveguide Outside Width:** 

2.000 inches

Thread Size:

0.190 inches first flange single connection facility

Waveguide Inside Width:

1.872 inches

**Waveguide Inside Height:** 

0.872 inches

**Waveguide Outside Height:** 

1.000 inches

**Waveguide Longer Offset Distance:** 

3.000 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole second flange single connection facility

Flange Style:

Cover type second flange

**Waveguide Offset Distance:** 

1.750 inches

Flexibility:

Rigid single tubing segment

## NSN 5985-00-671-2998

Waveguide Assembly - Page 2 of 2



ΝЛ	2+	er	10	
IVI	aı	œI.	10	I -

Aluminum alloy single tubing segment

**Surface Treatment:** 

Anodize single tubing segment inside surfaces

**Style Designator:** 

Bend type

**Thread Series Designator:** 

Unc first flange single connection facility

**Fsc Application Data:** 

Guided missile remote control systems

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A073a0